



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,760	12/12/2003	John Charles Calhoon	003797.00690	8738

28319 7590 08/25/2006

BANNER & WITCOFF LTD.,
ATTORNEYS FOR CLIENT NOS. 003797 & 013797
1001 G STREET, N.W.
SUITE 1100
WASHINGTON, DC 20001-4597

EXAMINER

BERHANU, SAMUEL

ART UNIT PAPER NUMBER

2838

DATE MAILED: 08/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/733,760	Applicant(s) CALHOON ET AL.	
	Examiner Samuel Berhanu	Art Unit 2838	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-21 and 28-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-21 and 28-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 8-10, 12, 13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyon (US 2004/0145342) in view of Stephens (US 5,734,254).

Regarding Claim 8, Lyon discloses in Figures 1 and 2, a battery pack (234) configured for receiving inductive energy for charging a battery of a host device, comprising: a processor unit (248) for processing computer readable data relevant to receiving the inductive energy and for processing data communication with a computer system; a pick up coil (232) configured for receiving the inductive energy and for receiving an inductive data communication (Paragraphs 0023); a charger (230) operatively coupled to the processor unit and the pick up coil ; the charger configured to output a direct current powered by the inductive energy (222); and relevant to the inductive data communication; an energy storage unit (234) configured for receiving the direct current (Paragraphs 0023-0030). Lyon does not disclose explicitly, a battery connector for connecting the battery of the host device with the direct current, the battery of the host device being separate from the battery pack. Stephens discloses in Figures 1 and 3, battery connector for connecting the battery of the host device with the direct

Art Unit: 2838

current (noted that the secondary coil, 283, is arranged to receive power from the primary coil 284, and the element 284 outputs DC in order to charge the portable (host device battery), it is evident that in order to charge the battery of the portable device with DC an electrical means of connection must be presented for current flow), the battery of the host device being separate from the battery pack (210) (noted that the battery pack (210) is isolated from the battery of the portable electronic device (290) (See also Column 5, lines 8-15). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a DC connection means to the battery and to isolate the battery pack and the portable device battery as taught by Stephens in Lyon apparatus in order to provide energy from a power source independently to the electronic device and charge the energy supplies independently, such as a battery or battery packs.

Regarding Claim 9, Lyon discloses in Figure 2, the step of transmitting includes a step of transmitting authenticating data to charging source (paragraph 0027, 0029, 0033). Regarding Claim 10, Lyon discloses in Figures 1 and 2, the battery pack comprising a communications device (242) operatively coupled to the pickup coil (232).

Regarding Claim 10, Lyon discloses in Figure 2, the battery pack comprising a communications device (242) operatively coupled to the pickup coil (232).

Art Unit: 2838

Regarding Claim 12, Lyon discloses in Figure 2, the processor unit (240) is configured to provide a plurality of charging parameters to a charging source, which provides the inductive energy (Paragraphs 0025)

Regarding Claim 13, Lyon discloses in Figure 2, the processor unit is configured to provide a digital security certificate to a charging source (Sending an RFID tag, Paragraphs 0032-0033).

Regarding Claim 15, Lyon discloses in Figure 2, the an antenna (232) and a communications device (242) configured to receive the computer readable data and configured to transmit the data to the antenna for wireless data communications a charging source (paragraphs 0023 and 0032-0033)).

3. Claims 8, 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parks et al. (US 5,455,466) in view of Stephens (US 5,734,254).

Regarding Claim 8, Parks et al disclose a battery pack configured for receiving inductive energy for charging a battery of a host device, comprising: a processor unit (228) for processing computer readable data relevant to receiving the inductive energy and for processing data communication with a computer system; a pick up coil (200b) configured for receiving the inductive energy and for receiving an inductive data communication; a charger operatively coupled to the processor unit and the pick up coil (224); the charger configured to output a direct current powered by the inductive energy (222); and relevant to the inductive data communication (the inductive link is used to transfer data and power (see abstract and Column 2, lines 58-65) ; an energy storage unit (225)

Art Unit: 2838

configured for receiving the direct current (column 3, lines 50-60, Column 3, lines 65-67, Column 4, lines 19-50). Parks et. al. do not disclose explicitly, a battery connector for connecting the battery of the host device with the direct current, the battery of the host device being separate from the battery pack. Stephens discloses in Figures 1 and 3, battery connector for connecting the battery of the host device with the direct current (noted that the secondary coil, 283, is arranged to receive power from the primary coil 284, and the element 284 outputs DC in order to charge the portable (host device battery), it is evident that in order to charge the battery of the portable device with DC an electrical means of connection must be presented for current flow), the battery of the host device being separate from the battery pack (210) (noted that the battery pack (210) is isolated from the battery of the portable electronic device (290) (See also Column 5, lines 8-15). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a DC connection means to the battery and to isolate the battery pack and the portable device battery as taught by Stephens in Parks et. al. apparatus in order to provide energy from a power source independently to the electronic device and charge the energy supplies independently, such as a battery or battery packs.

Regarding Claim 10, Parks et al. disclose the battery pack comprising a communications device (220) operatively coupled to the pickup coil (220).

Regarding Claim 11, Parks et al. disclose the battery pack in which the communications device (220) is configured to receive the computer readable data and transmit the data to the pick up coil (200b). Claim 14 is rejected under

Art Unit: 2838

35 U.S.C. 103(a) as being unpatentable over Parks et al. (US 5,455,466) in view of Higuchi et al. (US 6,163,132).

4. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Parks et al. (US 5,455,466) in view of Stephens (US 5,734,254) as applied to claim 8 above, and further in view of Higuchi (US 6,163,132).

Regarding Claim 14, Parks et al. do not disclose, the processor unit is configured to send data to the computer system so as to indicate it is receiving inductive energy. However, Higuchi discloses in Figure 1 the processor unit (4b) is configured to send data to the computer system (5) so as to indicate it is receiving inductive energy (Column 4, lines 33-38). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a computing and indicating system to the battery pack in Parks et al. as taught by Higuchi et al. in order to monitor battery status.

5. Claims 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyon (US 2004/0145342) in view of Gosior et al. (US 2002/0159434), and further in view of Stephens (US 5,734,254).

Regarding Claim 16, Lyon discloses in Figure 2, a computer implemented method of charging a battery with a battery pack, comprising the step of: receiving a polling message (receiving a command) from a charging source (Paragraph 0025)); the polling message including a data structure having a header and a payload transmitting a request for power to the charging source (; responsive to the polling message (paragraph 027); and receiving inductive power or an inductive data communication (242, 243) from the charging source

Art Unit: 2838

responsive to the transmitted request (Paragraph 0027, 0029, 0032, 0033);
generating a direct current responsive to the received inductive power;
transmitting the direct current to charge battery, (the rectifier 230, generates a direct current) . Lyon does not disclose the polling message including a data structure having a header and a payload and the battery being separate from the battery pack. However, Gosior et al. disclose in Figure 8, data communications to the battery pack based on a polling message having a data communications to the battery pack based on a polling message having a header and a payload (Paragraphs 0122). It would have been obvious to a person having ordinary skill in the art at the time of the invention to use a polling message that contains a payload, and a header as taught by Gosior et al. in Lyon's adaptive charger system and method in order to provide an efficient and reliable data transfer means for the charger and the device or the battery pack. Further, Stephens discloses in Figures 1 and 3, the battery being separate from the battery pack (210) (noted that the battery pack (210) is isolated from the battery of the portable electronic device (290) (See also Column 5, lines 8-15. It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a DC connection means to the battery and to isolate the battery pack and the portable device battery as taught by Stephens in Lyon apparatus in order to provide energy from a power source independently to the electronic device and charge the energy supplies independently, such as a battery or battery packs.

Art Unit: 2838

Regarding Claim 17, Lyon discloses in Figure 2, the step of transmitting includes a step of transmitting charging parameters to the charging source (paragraph 027).

Regarding Claim 18, Lyon discloses in Figure 2, the step of transmitting includes a step of transmitting authenticating data (a device information data) to charging source (paragraph 027 and 0033)

Regarding Claim 19, Lyon discloses in Figure 2, a step of initiating a charger responsive to the step of receiving ((paragraph 027).

6. Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyon (US 2004/0145342) in view of Gosior et al. (US 2002/0159434) and in view of Stephens (US 5,734,2540) as applied to claim 16 above, and further in view of Higuchi et al. (US 6,163,132)

Regarding Claim 20, Lyon, Gosior et al. and Stephens do not disclose a step of transmitting data to a computer system for indicating the step of receiving inductive power. However, Higuchi et al disclose in Figures 1 and 2 a step of transmitting data to a computer system for indicating the step of receiving inductive power (Column 4, lines 33-38). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a computing and indicating system to the battery pack in Lyon's adaptive charger system and method as taught by Higuchi et al. in order to monitor battery status.

Regarding Claim 21, Higuchi et al disclose in Figure 3 a step of displaying an object on a graphical user interface (6) indicative of the step of receiving (Column 4, lines 60-63).

Art Unit: 2838

7. Claims 28-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyon (US 2004/0145342) in view of Stephens (US 5,734,254) as applied to claim 8 above, and further in view of Gosior et al. (US 2002/0159434).

Regarding Claim 28, Lyon does not disclose explicitly, the inductive data communication includes a polling message including a header and a payload. Gosior et al. disclose, the inductive data communication includes a polling message including a header and a payload. It would have been obvious to a person having ordinary skill in the art at the time of the invention to use a polling message that contains a payload, and a header as taught by Gosior et al. in Lyon's adaptive charger system and method in order to provide an efficient and reliable data transfer means for the charger and the device or the battery pack.

Regarding Claim 29, Lyon discloses, wherein the payload includes at least one of an operating parameter and authentication information (Paragraphs 0033).

Regarding Claim 30, Lyon discloses wherein the operating parameter corresponds to a charging voltage or a maximum expected power consumption (Paragraphs 0033).

Response to Arguments

8. Applicant's arguments with respect to claims 8-21 and 28-30 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.**

Art Unit: 2838

See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel Berhanu whose telephone number is 571-272-8430. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl Easthom can be reached on 571-272-1989. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



KARL EASTHOM
SUPERVISORY PATENT EXAMINER

Art Unit: 2838

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SB



KARL EASTHOM
SUPERVISORY PATENT EXAMINER